# SDS Safety Data Sheet



## Solv Ink

## 1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier:Solv InkSDS Number:E848Revision Date:June 15, 2018Version:45-21D

Manufacturer:

Canadian Contact:

Legend Brands 325 S. Price Rd. Chandler, AZ 85224 Phone: 480-899-7000 Fax: 480-786-9538 Email: sds@legendbrands.com www.legendbrandscleaning.com Legend Brands 4520 Eastgate Parkway Mississauga, ON L4W 3W6 Phone: 800-932-3030

Emergency Information: INFOTRAC 1-800-535-5053 International 1-352-323-3500

## 2 HAZARDS IDENTIFICATION

## **Classification of Substance**

## GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Acute toxicity, 5 Oral Health, Skin corrosion/irritation, 3 Health, Serious Eye Damage/Eye Irritation, 2 B

## **GHS Label Elements, Including Precautionary Statements**

### GHS Signal Word: WARNING

### **GHS Hazard Pictograms:**

No GHS pictograms indicated for this product

#### **GHS Hazard Statements:**

H303 - May be harmful if swallowed

- H316 Causes mild skin irritation
- H320 Causes eye irritation

#### **GHS Precautionary Statements:**

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313 - If eye irritation persists: Get medical advice/attention.

Route of Entry:	Eyes; Skin; Inhalation;
Target Organs:	Eyes; Skin;
Inhalation:	Minimal respiratory tract irritation may occur with exposure to a large amount of material.
Skin Contact:	May cause irritation.
Eye Contact:	May cause irritation.
Ingestion:	Ingestion is not applicable route of entry for intended use.

Chemical Ingredients			
CAS#	%	Chemical Name	
112-34-5	78%	Diethylene glycol butyl ether	
872-50-4 119-36-8	3% 2%	n-Methylpyrrolidone Methyl salicylate	

## OSHA Regulatory Status:

This SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

4	FIRST AID MEASURES	
Inhalation:	If symptoms develop, move victim to fresh air; if symptoms persist, obtain medical attention.	
Skin Contact:	Wash with soap and water. If irritation persists consult medical personnel.	
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get immediate medical attention.	
Ingestion:	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, a two glasses of water. Seek medical attention.	give
5	FIRE FIGHTING MEASURES	

Flash Point:	97°C/ 207°F
Flash Point Method:	Closed Cup

Wear self-contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

## ACCIDENTAL RELEASE MEASURES

Keep away from drains and ground water. Keep all unnecessary personnel away. Spill area may be slippery. Pick up excess with inert absorbent material and place into separate waste container. Ventilate area and wash spill site after material pickup is complete. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

7	HANDLING AND STORAGE
Handling Precautions:	Avoid contact with eyes, skin, or clothing; Consider normal working hygiene. Handle with care and avoid spillage on the floor (slippage). Keep away from sources of ignition; wash thoroughly after handling.
Storage Requirements:	Keep away from children. Store in cool/dry area; Keep container closed.
8	EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	Normal room ventilation is satisfactory for limited use.
Personal Protective Equipment:	HMIS PP, B   Safety glasses, Gloves

No OSHA PEL established for listed chemicals

PHYSICAL AND CHEMICAL PROPERTIES
Clear colorless
Liquid
Wintergreen Mint
Soluble
sity: 8.15 lb/gal

6

## STABILITY AND REACTIVITY

Chemical Stability: Conditions to Avoldentification:	Product is stable under normal conditions. None known
Materials to Avoldentification:	None known
Hazardous Decomposition:	Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymerization:	Will not occur.

## TOXICOLOGICAL INFORMATION

#### **Toxicity Data:**

10

11

Diethylene glycol butyl ether 112-34-5

Oral (LD 50): 5660 mg/kg - Rat

Inhalation ( LC 50): Not listed on RTECS

Skin irritation: Moderate

Eye irritation: Severe

Sensitation: Not considered an occupational sensitizer

#### n-Methylpyrrolidone 872-50-4

Oral ( LD 50): 3914 mg/kg - Rat

Inhalation ( LC 50): Not listed on RTECS

Skin irritation: No data available

Eye irritation: Moderate - Rabbit

Sensitation: Not considered an occupational sensitizer

#### Methyl Salicylate 119-36-8

Oral ( LD 50): 887 mg/kg - Rat

Inhalation ( LC 50): Not listed on RTECS

Skin irritation: Moderate - Rabbit

Eye irritation: Moderate - Rabbit

Sensitation: Not considered an occupational sensitizer

## 12 ECOLOGICAL INFORMATION

On the basis of available information, this material is not expected to produce any significant environmental effects when recommended use instructions are followed.

## 13 DISPOSAL CONSIDERATIONS

Recommendation: Consult with the disposal agency and the relevant authorities. Empty containers may be cleaned with water.

14 TRANSPORT INFORMATION

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.

15

## **REGULATORY INFORMATION**

Component (CAS#) [%] - CODES

Diethylene glycol butyl ether (112-34-5) [78%] TSCA, WHMIS

n-Methylpyrrolidone (872-50-4) [3%] MASS, NJHS, PA, SARA313, TSCA

Methyl salicylate (119-36-8) [2%] PA, TSCA, TXAIR

Regulatory CODE Descriptions

-----

TSCA = Toxic Substances Control Act WHMIS = Workplace Haz Mat Info Sys Canada MASS = MA Massachusetts Hazardous Substances List NJHS = NJ Right-to-Know Hazardous Substances PA = PA Right-To-Know List of Hazardous Substances SARA313 = SARA 313 Title III Toxic Chemicals TXAIR = TX Air Contaminants with Health Effects Screening Level

## **CALIFORNIA PROPOSITION 65 CARCINOGENS**

Warning: The following ingredients present in the product are known to the state of California to cause cancer.

<u>Chemical Name</u>	<u>CAS-No.</u>
1,4-Dioxane	123-91-1

## CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.


## **Chemical Name**

N-Methyl-2-pyrrolidone

<u>CAS-No.</u> 872-50-4

16 OTHER INFORMATION

NFPA:Health = 1, Fire = 1, Reactivity = 0, Specific Hazard = n/aHMIS III:Health = 1, Fire = 1, Physical Hazard = 0HMIS PPE:B - Safety Glasses, Gloves



This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager

Phone Number: [480] 899-7000